


## In the Claims

**1. (currently amended)** A wettable polyolefin fiber or filament, comprising a melt blend

which comprises

(a) a polyolefin; and

(b) at least one compound of the formula (Ia)



where x is 2 to 10 and

R<sub>1</sub> is a straight or branched chain alkyl of ~~23~~22 to 40 carbon atoms.

**2. (original)** A fiber or filament according to claim 1 in which the polyolefin is polypropylene or polyethylene.

**3-6. (canceled)**

**7. (original)** A fiber or filament according to claim 1 wherein the compounds of component (b), in total, are present from about 0.1 % to about 15 % by weight, based on the weight of the polyolefin of component (a).

**8. (original)** A fiber or filament according to claim 7 wherein the compounds of component (b), in total, are present from about 1 % to about 7 % by weight, based on the weight of the polyolefin of component (a).

**9. (original)** A bi-component fiber comprising a polyolefin component, wherein the polyolefin component comprises a melt blend comprising components (a) and (b) according to claim 1.

**10. (previously presented)** A woven or nonwoven fabric comprising polyolefin fibers or filaments according to claim 1.

**11. (original)** A woven or nonwoven fabric according to claim 10 wherein the polyolefin is polypropylene or polyethylene.

**12. (previously presented)** A woven or nonwoven fabric comprising bi-component fibers according to claim 9.

**13-16. (canceled)**

**17. (original)** An article of manufacture comprising a woven or nonwoven fabric according to claim 10 selected from the group consisting of disposable diapers, training pants, feminine napkins, tampons, incontinence care products, wet and dry wipes, wound dressings, surgical capes, filter media and battery separators.

**18. (previously presented)** A fiber or filament according to claim 1 in which the melt blend additionally comprises an ethoxylated aliphatic alcohol that is not of formula (Ia).

**19. (original)** A fiber or filament according to claim 1 in which the melt blend additionally comprises a 2 mole ethoxylated stearyl alcohol.

**20-21. (canceled)**

**22. (previously presented)** A fiber or filament according to claim 1 in which R<sub>1</sub> is a straight or branched chain alkyl of 28, 30 or 32 carbon atoms and x is 2 or 3.

**23. (previously presented)** A fiber or filament according to claim 22 in which the melt blend additionally comprises an ethoxylated aliphatic alcohol that is not of formula (Ia).

**24. (previously presented)** A fiber or filament according to claim 22 in which the melt blend additionally comprises a 2 mole ethoxylated stearyl alcohol.

**25. (previously presented)** A fiber or filament according to claim 1 further comprising a stabilizer selected from the group consisting of hindered amine light stabilizers, phenolic antioxidants, phosphites or phosphonites, hydroxylamines, benzofuranones and hydroxyphenylbenzotriazole, hydroxybenzophenone or tris-aryl-s-triazine UV absorbers.